



연구력 강화 및
성공적인 논문 Publishing 지원 솔루션



iThenticate[®]
Professional Plagiarism Prevention

Turnitin Korea

1. 표절의 이해
2. 연구부정행위 동향
3. 올바른 인용법
4. 중복 게재 방지
5. 유사도 검사 솔루션 iThenticate 이용법
 - 1) 계정 생성
 - 2) 페이퍼 업로드
 - 3) 결과 확인
 - 4) 부가 기능
6. 자주 묻는 질문들 및 연락처

표절의 이해

What is Plagiarism?

* 개념

- 타인의 기존 아이디어, 과정, 결과, 표현 등을 **원작자와 출처를 밝히지 않고 재사용하는 것** (IEEE 정의)
- 다른 사람이 쓴 문학 작품이나 학술 논문 또는 기타 각종 글의 일부 또는 전부를 직접 베끼거나 관념을 모방, 마치 자신의 독창적인 산물 인 것처럼 공표하는 행위 (Wikipedia 온라인 사전)

* 대상

- 타인이 독창적 작성한 문헌, 문화예술 창작물을 주로 그 대상으로 함

* 처벌

- 일정한 강제성 규범, 기준 위반 시, 학칙 등에 의거 처벌, 제재 가능성 있음 (저작권법 위반과는 별개. 저작권은 ‘표현’이라는 요소를 필수적으로 가지지만, 표절은 ‘아이디어’를 대상으로도 성립)

* 책임

- 영리행위 등 일정요건 구성 시, 저작권법 위반 가능(이 경우, 손해배상, 형사소추 등 절차 진행 가능)

연구부정행위 동향

What are the new and emerging plagiarism trends?

The Plagiarism Spectrum 2.0



The Plagiarism Spectrum 2.0 identifies twelve types of unoriginal work. Familiarity with traditional forms of plagiarism and emerging trends helps students develop original thinking skills and do their best original work.



Original Thinking

When someone submits assignments that are their own work, composed of original ideas built on attributed sources.



Student Collusion

Working with other students on an assignment meant for individual assessment.



Word-for-Word Plagiarism

Copying and pasting content without proper attribution.



Self Plagiarism

Reusing one's previously published or submitted work without proper attribution.



Mosaic Plagiarism

Weaving phrases and text from several sources into one's own work. Adjusting sentences without quotation marks or attribution.



Software-based Text Modification

Taking content written by another and running it through a software tool (text spinner, translation engine) to evade plagiarism detection.



Contract Cheating

Engaging a third party (for free, for pay, or in-kind) to complete an assignment and representing that as one's own work.



Inadvertent Plagiarism

Forgetting to properly cite or quote a source or unintentional paraphrasing.



Paraphrase Plagiarism

Rephrasing a source's ideas without proper attribution.



Computer Code Plagiarism

Copying or adapting source code without permission from and attribution to the original creator.



Source-based Plagiarism

Providing inaccurate or incomplete information about sources such that they cannot be found.



Manual Text Modification

Manipulating text with the intention of misleading plagiarism detection software.



Data Plagiarism

Falsifying or fabricating data or improperly appropriating someone else's work, putting a researcher, institution, or publisher's reputation in jeopardy.

What are the new and emerging plagiarism trends?

So what are some new opportunities for plagiarism and academic misconduct in online learning environments?

- **Contract cheating:** [engaging a third party \(for free, for pay, or in-kind\) to complete an essay assignment](#) and representing that work as their own. Essay mills have increased in number, often targeting vulnerable students via social media.
- **AI-based writing:** using an [AI-based tool to finish writing an essay](#) assignment.
- **Text spinning or manipulation:** taking content written by another and running it through a software tool or manipulating text with the intention of [misleading plagiarism detection software](#).
- **Source code plagiarism:** [copying or adapting source code](#) without attribution to the <https://www.turnitin.com/blog/what-are-the-new-and-emerging-plagiarism-trends>) original creator.
- **Spyware:** using technology like [hidden earpieces](#), [smartphones](#), software that screen captures tests, and online [test banks](#) to gain answers to exams.
- **Using third parties for answers:** [using third party tutors to provide answers](#) or Bluetooth devices to communicate answers on assessments.
- **Impersonation:** [hiring someone else to take a test](#) or the entire course.
- **And while not new, collusion:** students working in groups on work intended for individual assessment. In online environments without supervision, there may be [an increase in this form of misconduct](#). (Source: <https://www.turnitin.com/blog/what-are-the-new-and-emerging-plagiarism-trends>)

Not only plagiarism prevention, but upholding academic integrity



Blog · 7 min read · Thursday 23 July 2020

Making the Tough Call: Skill Deficit or Deliberate Plagiarism?

Presenters:

 **Dr. Custer C. Deocaris**
Scientist 1, Philippine Nuclear Research Institute, Department of Science and Technology

 **Dr. Raymond Girard R. Tan**
Vice-Chancellor for Research and Innovation, De La Salle University

Moderator

 **Franz Victoria**
, Turnitin

<https://www.turnitin.com/blog/making-the-tough-call-skill-deficit-or-deliberate-plagiarism>

Related Articles



Video

The progression of research integrity at global...

In this video (part 2 of 2), Dr Daniel Barr continues his discussion on the progression of research integrity at...



Video

Lifting educational aspirations and capacity in rural and...


We chat to Helen Huntly, Provost at Central Queensland University, about lifting educational aspirations &...



Video

Disruption in higher education & the rise of skill-based...

In this video (part 1 of 2), Dr Kevin Bell explores how higher education is facing increased competition from...



<https://www.turnitin.com/videos/getting-your-research-paper-published-in-international-scientific-journals>

<https://www.turnitin.com/videos/the-progression-of-research-integrity-at-global-universities-part-1>

올바른 출처 표기 및 인용법

- 권위의 원천 제시
 - 검증 편의 제공
 - 표절 회피 – 면책 목적 (자기 표절, 일반 지식 여부 불확실시 방어의 목적으로 인용)
 - 부수적 목적 – 학계 선순환 (신진 학자 보호, 아이디어 실명제와 같은 효과)
- 목적에 맞게 필수적 항목 출처 표시
- 출처 표시의 기본 단위는 문장이지만, 논의 전개 과정 중 불가피하게 자신의 선행 논문 상당 부분을 그대로 가져와야 하는 경우, 주 (annotation)를 달아 그 사정을 밝히기도 함 (p. 248)

- (독창적) 아이디어 vs. 저작권
- 간접인용 (패러프레이징)
- 재인용

• 간접인용 (패러프레이징)

인용은 원칙적으로 간접인용(패러프레이징, 바꿔쓰기, 쉽게 풀어쓰기 등)한다. 직접 인용이 필요한 경우:

- 1) 저자의 문체가 강한 매력을 품고 있거나 인용문 자체가 논문 쓰는 사람에게 중요한 의미가 있을 때 (연설문)
 - 2) 비판 대상으로 삼기 위해 원저술을 그대로 가져와야만 할 때 (간접인용을 함으로써 원저술을 왜곡할 여지)
 - 3) 특정 단어나 문구(phrase) 중 직접 인용 필요한 경우. 원저술에서 원저자가 특별한 의미를 부여하기 위해 독창적으로 만든 특별한 단어나 단어의 결합 (구)
 - 4) 과다 직접 인용 사용시 글의 독창성 (Originality) 및 질적인 문제 제기 가능성
- **간접인용을 하더라도 당연히 출처 표시를 해야 한다. 간접인용은 글의 논리적 구조와 스타일에 맞게 단순히 문장 도치, 단어 치환을 넘어 저자가 이해한 원전의 내용을 효과적으로 나타내야 한다.**
- **축약, 개작 등을 하더라도 원전에 대한 출처 표시가 없으면 표절이다.**

• 재인용(선형 연구를 통해 ‘또 다른 선행 연구’를 알게 된다면?)

- 원출처를 밝히지 않고 2차 출처만 밝히는 것이 타당한가? 원출처를 밝혀야 한다. 2차 출처는 아래의 경우 함께 기재한다.

- 연구자가 직접 접하지 않았음에도 원출처를 읽은 것처럼 인용하는 것이 타당한가? 타당하지 않다.

- 사려깊은 연구자로서 2차출처를 통해 알게 된 원출처 외에 2차 출처도 아울러 밝혀야 하는가? 그럴 필요가 있을 때 2차 출처도 함께 밝힌다.

1) 원출처를 확인하지 않은 경우:

원출처를 확인할 것을 권장하며, 불가피할 경우에는 재인용을 밝히고 인용할 수 있다.

읽지 않고 원출처를 읽은 것처럼 출처 표시를 하는 것은 학문적 허영으로서, 적절치 않다.

2) 원출처를 확인한 경우:

2차 출처를 생략하고 원출처만 밝히는 것에 대해 표절이다, 아니다 전문가들의 이견이 있다.

2차 출처를 포함할 것이 권장되는 경우:

- 원출처가 일반에 널리 알려지지 않은 경우: 원출처를 ‘발굴’하여 자신의 논의에 끌어온 저자의 노고와 통찰력, 저작활동에 대한 인정 (Cf. 편집저작 - 소재의 선택과 배열에 창작성 인정)
- 원출처가 해당 분야에서는 널리 알려졌어도 생소한 분야에서 끌어와 논의를 한 경우
- 2차 출처 저자의 창작적 노력이 가미된 경우

중복 게재 방지

중복 게재 방지 (pp.

428-474)

- 자기 표절/중복 게재의 경우

표절은 동의보다는 피해에 집중. 따라서, 피표절자의 동의가 있더라도 면책되지 않는다 (주 419-426)

- 자기 표절이 아닌 후속 심화 연구로 인정받으려면: 후행 저술이 선행 저술과 차별되는 독창성을 보여주고 그로 인해 학계에 기여했는. 독자적인 존재가치를 인정할 만한 새로운 해석, 독창적 논지 등을 포함했느냐

(대전지법 2008. 8.13 선고 2007 구합4324 판결. '박사학위논문과 일반논문 간의 중복 사건' 판결)

- 정상적인 자기 인용: 양적으로 적절해야 하며, 후행 저술의 논리성을 갖출 때 자연스럽게 인용되는 부분.
- 부적절한 자기 인용: 논리전개상 인용할 필요가 없는데도 본인 선행 저술을 인용하여 자신을 출처로 표시. 혹은, 권위의 원천 목적으로 주장을 펼칠 때 권위자가 아닌 본인의 의견 인용 (인위적으로 임팩트 지수 높이는 꼼수. 학계 혼탁)

중복 게재 방지 (pp.

428-474)

• 특수 사례 (정부출연 연구기관의 경우)

- 독자층이 다르면서 경제적 또는 신분상 이익을 취하지 않고 선행 논문의 존재를 밝힌다면 중복 게재를 비난할 이유 없음 (전파와 확산이 중요한 분야, 새로운 독자층 겨냥해 매체를 달리해 중복게재를 허용)
- 출간되지 않은 학위논문을 저서, 논문, 보고서의 형태로 출간하는 행위
- 용역보고서, 정책제안서 등 특정 기관의 요청 또는 목적에 따라 작성된 저술을 별도의 저서 또는 논문 형태로 출간하는 행위
- 이미 출간된 자신의 보고서, 논문 등 여러 편을 편집하여 단행본 기타 저술 형태로 출간하는 행위
- 이미 출간된 자신의 보고서, 논문이 편집자의 특정 목적에 따라 다른 저자의 논문등과 함께 편집, 출간되는 경우
- 기존의 연구기관 내 자신의 연구물을 대중에게 널리 알리기 위해 교양 시사 잡지, 기타 대중매체에 기고하는 경우
- 기존의 연구기관 내 자신의 연구물을 독자층이 다른 외부 학술지에 게재하는 경우
- 번역하여 출간할 때는 번역의 목적과 필요성, 해당 학문의 성격, 사용된 언어 등을 종합적으로 고려

1. 표절의 이해
2. 연구 부정 행위 최근 동향
3. 올바른 인용법
4. 중복 게재 방지
5. 유사도 검사 솔루션 iThenticate 이용법
 - 1) 계정 생성
 - 2) 페이퍼 업로드
 - 3) 결과 확인
 - 4) 부가 기능
6. 자주 묻는 질문들 및 연락처

연구력 강화를 위한 솔루션

The image displays the iThenticate software interface on a laptop screen. The main window shows a document titled "샘플" (Sample) with a date of "02-Sep-2013 04:37PM" and a word count of "2731 words • 56 matches • 23 sources". The document text is highlighted in red, indicating matches. A "Match Overview" panel on the right lists the top matches:

Match Number	Match Description	Percentage
1	CrossCheck 1875 words Chung, Kun Il, Han Koo Kim, Woo Seob Kim, and Tae Hui Bae. "The Effects of Polydeoxyribonucleotide on the ..."	68%
2	CrossCheck 52 words Joseph Leibovich, Samuel. "Regulation of Macrophage-Dependent Angiogenesis by Adenosine and Toll-Like ..."	2%
3	CrossCheck 39 words Steven R. Beanes. "Skin repair and scar formation: the ... entral role of TGF-[beta]", Expert Reviews in Molecular M	1%
4	CrossCheck 35 words Roberto Vanelli. "Efficacy of intra-articular polynucleotide s in the treatment of knee osteoarthritis: a randomized ..."	1%
5	CrossCheck 35 words Guizzardi, S. "Effects of heat deproteinate bone and pr ... nucleotides on bone regeneration: An experimental stud	1%
6	CrossCheck 34 words E. Raposio. "In vitro polydeoxyribonucleotide effects on h uman pre-adipocytes", Cell Proliferation, 10/2008	1%
7	CrossCheck 32 words He, D. "Nuclear Accumulation of Exogenous DNA Frag ments in Viable Cells Mediated by FGF-2 and DNA Rel ..."	1%

The document text includes the following paragraphs:

defects. Among the local skin flap procedures, random pattern skin flaps are a reliable and convenient procedure. However, after random pattern skin flap surgery, distal flap necrosis (partial or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and can also be invasive. Previous research has shown that systemic and/or local drug agents can help overcome flap loss through inducing angiogenesis.^{1,2} To increase neovascularization, various angiogenic growth factors such as vascular endothelial cell growth factor (VEGF), transforming growth factor (TGF), fibroblast growth factor (FGF), and platelet-derived growth factor (PDGF) are all important.³⁻⁶

Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent. The drug agent can be obtained through a high temperature extraction process and contains over 95% pure active principle without additional pharmacologically active proteins and peptides (Registration Dossier, Italian Ministry of Health).⁷ This compound holds deoxyribonucleotide polymers with chain lengths ranging from 50 to 2,000 base pairs, and represents the source of purine and pyrimidine deoxynucleosides/deoxyribonucleotides and bases.⁸

PDRN activates the A_{2A} receptor subtype of adenosine receptors and then stimulates VEGF release as well as fibroblast maturation in skin wounds.⁹ In prior studies, stimulation of the adenosine A_{2A} receptor leads to increasing VEGF products, fibroblast differentiation and maturation, and also accelerates granulation tissue formation rates and the wound repair process.^{10,11}

The aim of this study was to investigate whether PDRN could improve the survival of random

PAGE: 1 OF 8

Comprehensive Coverage

165 million journal articles and subscription content sources from the world's premier academic publishers.



SPRINGER NATURE





연구 초기 단계

- 주제 선정
- 개요 작성
- 연구 분야 검색



연구 중간 단계

- 중복 연구분야 검색
(Full Text Searching 가능)
- 초고 작성 및 수정
- 논문의 수정 및 교정
- 최신 이슈에 대한 검색



투고 전 단계

- 출판사 / 학회 투고 전
- 논문 제출 전 마지막 점검 사용

이용 전 체크 사항

1. 이용가능한 브라우저 (Browser types)

크롬, 인터넷 익스플로러, 사파리, 파이어폭스

[인터넷 익스플로러 낮은 버전 사용시 특유의 버그로 오류 발생 우려가 있으므로, 가급적 크롬 브라우저를 다운로드하여 사용하세요]




2. 이용 가능한 대표적 문서 종류

MS 워드(.doc/.docx), PDF, 텍스트파일(.txt), 구글 docs, 파워포인트 (.ppt/.pptx),

엑셀(.xls, .xlsx), Hangul 한글 문서(.hwp) 등 (단, 한글 HWP 문서는 호환성이 낮아 adobe pdf나 워드 파일로 변환 후 검사하시기를 권장드립니다)

- 스캔한 이미지나 워터마크 PDF는 읽을 수 없습니다.



iThenticate 사용 방법: 계정 신청 방법

① iThenticate 이용 계정 신청

- 관리자 메일이나 전화로 신청: librarian1@chamc.co.kr, 031-780-5040
- 신청한 메일로 임시 비밀번호 발송 → 비밀번호 수정 후 이용

메일 제목 : 계정 생성, 보낸 사람 : noreply@ithenticate.com

※ 임시 비밀번호가 포함 된 메일을 못 받으셨을 경우

- 스팸편지함 확인 , 관리자에게 임시비밀번호 재 발송 요청

② iThenticate 홈페이지 접속 https://app.ithenticate.com/en_us/login

③ 첨부된 이용자 매뉴얼 확인 후 개인별 유사도 검사 진행

분당차병원 의학도서관 - iThenticate <http://cha.futurenuri.co.kr/>

CHA 의과대학
분당차병원 의학도서관


소장자료검색

DB 바로가기


도서관서비스

MY LIBRARY


도서관 안내




Instructional Course Lectu...
Khanuja, Harpal S.




Harrison's Principles of Int...



Washington Manual of Su...



Biopsy Interpretation of th...
Schnitt, Stuart J.



Diagnostic Pathology and ...
Nikiforov, Yuri



Pharmacogenomics: A Pri...

CHA 의과대학
분당차병원

차 의과대학
CHA UNIVERSITY | 도서관

JAMA Network

THE NEW ENGLAND
JOURNAL OF MEDICINE

ClinicalKey
ELSEVIER

Cochrane
Library

UpToDate

iThenticate

iThenticate 사용 방법: 최초 로그인 방법

1. Check your email inbox
2. Login with the ID & PW given in the email from us at www.ithenticate.com
3. Change the password and complete the sign up process

▶ 한글 안내 메일

☆ 계정 생성 | 관련편지검색

보낸사람 : noreply@ithenticate.com 15.08.05 13:46 | 주소추가 | 수신차단

홍길동 님 . 환영합니다.

귀하의 iThenticate 계정이 생성되었습니다.

iThenticate의 이용을 시작하시려면 다음을 방문하십시오.

<https://app.ithenticate.com/ko/login>

로그인하시는 데 귀하의 이메일 주소와 비밀번호를 사용하실 것입니다:

로그인: hgd@abcmail.net

비밀번호: ъuендЮdоwк

이는 일회용 비밀번호입니다. 귀하는 처음 로그인 시, 이 비밀번호를 변경하도록 안내될 것입니다.

▶ 영문 안내 메일

☆ 계정 생성 | 관련편지검색

보낸사람 : noreply@ithenticate.com 15.08.05 14:00 | 주소추가 | 수신차단

Welcome Gil Dong Hong

Your iThenticate account has been created.

To begin using iThenticate please visit

https://app.ithenticate.com/en_us/login

You will log in using your email address and password:

Login: pea0204@hanmail.net

Password: 0ghtr0eswa

This is a one-time password. You will be prompted to change this password when you first log in.
hgd@abcmail.net

iThenticate URL 접속 후,
임시 비밀번호 로그인



최초 로그인 방법

 Password Reset



약관 동의 후, 비밀번호 설정 화면

Your password must be changed before you can continue.

Enter your existing password

Current password *

임시 비밀번호 입력

- This field is required.

Pick a new password

New password *

설정 할 비밀번호 입력

Retype your new password

Confirm new password *

설정 할 비밀번호 확인 (위 항목과 동일하기 입력)

Optional personal security question

Providing this information is not required, but if provided will help us protect your account.

Select a question

Select an option



개인 보안 관련 질문/답변 항목은 **선택사항**으로,
기입하지 않으시고도 비밀번호 설정 가능

Enter your response

Change Password



비밀번호 설정 완료가 정상적으로 진행 되었다는 이메일이 발송 됨
(제목 : Password Updated, 보낸 사람 : noreply@ithenticate.com)

로그인



1. www.ithenticate.com 방문
2. 홈페이지의 메인화면에서 우측 상단의 “LOGIN” 을 클릭
3. 로그인 화면에서 기관 도메인의 Email 및 Password 입력 후, LOG IN 버튼 클릭

Login

Email *

Password * [Forgot password](#)

Remember me

로그인 - 비밀번호 분실 시

Login

Email *

Password *

① **Forgot password**

Remember me

Login

✓iThenticate®

Forgot Your Password?

We'll send you instructions on how to reset your password.

Email *

② 계정 등록 시 사용한 메일 기입

[Back to login page](#)

Submit

▶ 비밀번호 분실 시,

- ① 로그인 화면에서, 초록색 “Forgot Password” 클릭
- ② 계정 등록 시 사용한 메일 기입 후 Submit 버튼 클릭

→ 해당 메일 주소로 비밀번호를 변경할 수 있는 URL이 포함된 메일 발송

메인 화면 구성

Folders Settings Account Info

iThenticate®
Professional Plagiarism Prevention

Search Trash Move selected to... Move

My Folders
내 폴더
내 문서
쓰레기

내 문서 Documents Settings page 1 of 1

This folder is empty: [Submit a document](#)

602 Pages remaining

[Upload a File](#)
[Zip File Upload](#)
[Multiple File Upload](#)
[Cut & Paste](#)

View: [Recent Uploads](#)

[New folder](#)
[New Folder](#)
[New Folder Group](#)

i Folder Info
Name: 내 문서

1. 최초 로그인 시, 기본 폴더가 생성되어 있으며 현재 보는 화면과 같이 This folder is empty : [Submit a document](#) 클릭하여 보고서 **바로 제출 가능**
2. 다음 제출부터는 우측 상단의 Submit a document 부분에서 파일 업로드 방식 선택하여 제출

자료 제출(업로드)

Upload a file Return to Folders

Upload to folder: 한국연구재단 - 사회과학단

Upload #1

What is the document title: 보고서 명

What is the author's first name: 작성자 이름

What is the author's last name: 작성자 성

Reporting group:

Browse for the file you would like to submit: ①

② [Add another file](#)

Submit a document

602 Pages remaining

③ [Upload a File](#)
[Zip File Upload](#)
[Multiple File Upload](#)
[Cut & Paste](#)

View: [Recent Uploads](#)

File Requirements

Files must be less than 40MB.
The maximum document length is 400 pages.
Files must contain at least 20 words of text.
Files must not exceed 2MB of raw text.
Zip files may contain up to 200MB or 1,000 files.

We currently support file upload for the following document types:
Word, Text, PostScript, PDF, HTML, Word Perfect WPD, OpenOffice ODT, RTF, Hangul HWP

제출 가능 건수

1. 찾아보기 버튼 클릭 후, 파일 업로드
2. [Add another file](#)은 제출할 파일이 여러 개 있을 때 클릭하여 Upload#1, Upload#2 식으로 최대 10개 까지 추가할 수 있다.
3. 다양한 방식으로 파일 업로드 이용 가능 (단일파일, 복수파일, Zip파일, 잘라 붙여 넣기)

* JAVA 최신 버전으로 업데이트 후 이용

▶ 업로드 가능 용량 : 40MB 미만, 400 페이지(최소 20단어) 이하 (Zip 파일은 200MB 미만, 1,000개의 파일 미만)
▶ 지원 파일 유형
MS Word, **HWP**, 텍스트, PostScript, PDF, HTML, Word Perfect WPD, OpenOffice ODT, RTF

유사도 검사 결과 확인

Folders

Settings

Account Info



Search

Trash

Move selected to...

Move

My Folders



사회과학단

Documents

Settings

page 1 of 1

Documents

Sharing

Settings

<input type="checkbox"/>	Title	Report	Author	Processed ↓	Actions
<input type="checkbox"/>	test 1 part - 66,781 words	20%	j. yoo	08/17/11	
<input type="checkbox"/>	first draft 1 part - 8,744 words	15%	김. 유	05/02/11	
<input type="checkbox"/>	정보사회 신인류의 등장과 통신 서비스 이용 형태의 변화 1 part - 8,919 words	45%	김. 김	03/29/11	
<input type="checkbox"/>	사회통합을 위한 통신정책의 미래와 전망 1 part - 4,458 words	35%	박. 조	03/29/11	
<input type="checkbox"/>	정보사회와 통신의 새로운 패러다임 1 part - 5,949 words	68%	김. 장	03/29/11	
<input type="checkbox"/>	환경 및 생태계 유지 1 part - 3,585 words	49%	김. 김	03/29/11	
<input type="checkbox"/>	향산화 물질에 대한 1 part - 1,321 words	80%	김. 유	03/29/11	

상세 Report 화면을 보려면 유사성 수치를 클릭

page 1 of 1

유사도 검사 결과 확인

02-Sep-2013 04:37PM

2731 words • 55 matches • 23 sources

FAQ



샘플
BY 필드 등

원문 내용과 유사한 자료의 출처가
번호와 색깔로 구분하여 표시

Quotes Included
Bibliography Included

88%
SIMILAR

defects. Among the local skin flap procedures, random pattern skin flaps are a reliable and convenient procedure. However, after random pattern skin flap surgery, distal flap necrosis (partial or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and o

local drug agents can h

neovascularization, variou

factor (VEGF), transform

derived growth factor (PD

CrossCheck

nd it was found to act in wound healing by stimulating the tissue repair process [7]. PDRN extracted from trout sperm was recently found to be a tissue repair agent like the PDRN from human placenta. The drug agent can be obtained through a high temperature extraction process and contains over 95% pure active principle with- out additional pharmacologically active proteins and peptides (Registration Dossier, Italian Ministry of Health) [8]. This com- pound holds deoxyribonucleotide polymers with chain lengths ranging from 50 to 2,000 base pairs and represents the source of purine and pyrimidine deoxynucleosides/deoxyribonucleo- tides and bases [9]. PDRN activates the A_{2A} receptor subtype of adenosine re- ceptors and then stimulates VEGF release as well as

Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent. The drug agent can be obtained through a high temperature extraction process and contains over 95% pure

peptides (Registration

deoxyribonucleotide po

represents the source

bases.⁸

유사 부분은 하이라이트 된
색상 및 번호로 표시되고 있으며
이 부분을
클릭하면 화면 상단에 출처의 Full
text가 보여짐(OA인 경우)

PDRN activates the A_{2A} receptor subtype of adenosine receptors and then stimulates VEGF release as well as fibroblast maturation in skin wounds.⁹ In prior studies, stimulation of the adenosine A_{2A} receptor leads to increasing VEGF products, fibroblast differentiation and maturation, and also accelerates granulation tissue formation rates and the wound repair process.^{10,11}

The aim of this study was to investigate whether PDRN could improve the survival of random

Match Overview

- 1 CrossCheck 1875 words 68%
Chung, Kun Il, Han Koo Kim, Woo Seob Kim, and Tae Hui Rae. "The Effects of Polydeoxyribonucleotide on the ..."
- 2 CrossCheck 52 words 2%
Joseph Leibovich, Samuel. "Regulation of Macrophage-Dependent Angiogenesis by Adenosine and Toll-Like ..."
- 3 CrossCheck 39 words 1%
Steven R. Beanes. "Skin repair and scar formation: the ... central role of TGF-[beta]", Expert Reviews in Molecular M
- 4 CrossCheck 35 words 1%
Roberto Vanelli. "Efficacy of intra-articular polynucleotide s in the treatment of knee osteoarthritis: a randomized ..."
- 5 CrossCheck 35 words 1%
Guizzardi, S.. "Effects of heat deproteinate bone and pc ... nucleotides on bone regeneration: An experimental stud
- 6 CrossCheck 34 words 1%
E. Raposio. "In vitro polydeoxyribonucleotide effects on h uman pre-adipocytes", Cell Proliferation, 10/2008
- 7 CrossCheck 32 words 1%
He, D.. "Nuclear Accumulation of Exogenous DNA Frag ments in Viable Cells Mediated by FGF-2 and DNA Rel ..."



PAGE: 1 OF 9

Text-Only Report

검사 결과 PDF 파일 저장 가능

폴더 생성/ Setting 확인 및 변경

Folders Settings Account Info

My Folders

- 내 폴더
- 내 문서**
- 쓰레기

내 문서 Documents Settings page 1 of 1

This folder is empty: [Submit a document](#)

page 1 of 1

Submit a document

73,191 Pages remaining

[Upload a File](#)

[Zip File Upload](#)

[Drag & Drop Upload](#)

[Cut & Paste](#)

View: [Recent Uploads](#)

New folder

[New Folder](#)


[New Folder Group](#)

Folder Info

Name: 사회과학단

Shared with: [nobody](#)

폴더 생성/ Setting 확인 및 변경



Setting 클릭 후 검사 조건에 대해 설정 가능하나 검사 후 결과 화면 내에서 적용 가능

Folder Group
Select an option

상위 폴더그룹 선택

Folder Name *

폴더 이름 입력 및 변경

*** 제외를 원할 경우, 좌측 체크박스 표시**

Exclude quotes : 인용 정보 제외

Exclude bibliography : 참고문헌 제외

Exclude Phrase : 특정 문구 제외 (16번 슬라이드 참고)

Exclude Small Matches : 사소한 일치 제외
(ex. 10 단어 지정 시 : 10 단어 이하 출처는 제외되어 결과 도출)

Exclude Small Sources : 사소한 출처 제외 유무
(ex. 3% 또는 10 단어 지정 시 : 지정한 기준의 출처들이 제외되어 결과 도출)

Exclude Sections:

Exclude Sections : 섹션(특정 부분)제외

→ 문서 본문에서 **Heading(제목)** 기입 시, 적용 가능

- Abstracts : 초록 제외
- Matches & Materials : 연구방법 및 자료 및 재료 제외

Limit searches to these repositories

Limit searches to these repositories : 보관소의 비교검색 대상 설정

→ 기본적으로 **CrossCheck/Internet/Publication** 모두 체크 되어 있음

- CrossCheck : Crossref 가입 모든 기관의 과학 기술 및 의학분야의 연구보고서, 단행본, Proceeding 등
- Internet : 인터넷 및 아카이브 인터넷 자료
- Publications : 정기간행물, 저널 및 출판물 (Agree gators&컨텐츠평급사 자료)

- CrossCheck
- Internet
- Publications

보고서 필터 기능 Report filters

 **내 문서** 문서 공유하기 **환경**

폴더 옵션 **보고서 필터** 제외 문구

보고서 필터

보고문 생성시, 일치 내용 검색에서 필터로 걸러져 나가는 URL 목록을 관리하는 데 이 페이지를 사용하십시오. 이 필터들은 이 폴더 내에 제출된 문서들에 대해서만 적용됩니다.

현재 이 폴더에 대한 URL 필터가 없습니다. 보고서 필터에 URL을 추가하려면 아래의 양식을 사용하십시오.

URL 필터를 추가하십시오. URL은 자유 재량에 따라 일반적이거나 구체적인 것일 수 있습니다.

예를 들어:

- http://example.com/ - 사이트 전체 제외 (끝에 있는 "/" 에 주의)
- http://example.com/docs/ - 특정 웹사이트 디렉토리에 있는 모든 출처 제외하기
- http://example.com/docs/paper.pdf - 특정 문서 제외하기

URL 추가 취소

보고서 필터: 등록된 url은 비교 대상에서 제외

제외 문구 기능 Phrase exclusions

The screenshot shows a web interface for document management. At the top, there is a navigation bar with a folder icon and the text '내 문서' (My Documents). To the right, there are buttons for '문서' (Documents), '공유하기' (Share), and '환경' (Settings). Below the navigation bar, there are three tabs: '폴더 옵션' (Folder Options), '보고서 필터' (Report Filter), and '제외 문구' (Phrase Exclusions), with the latter being the active tab. The main content area has a heading '제외 문구 보고서 필터 추가 및 제거하기' (Add and Remove Phrase Exclusion Report Filter). Below the heading is a paragraph: '이 폴더에 대한 제외문구 보고서 필터 목록입니다. 이 구문들은 유사성 보고서 생성시 모든 사용자의 제출물 상의 일치 내용 검색에서 필터로 제외됩니다.' (This is a list of phrase exclusion report filters for this folder. These phrases will be excluded as filters in the search for matching content in all users' submissions when generating similarity reports.) Below this is a link '새로운 문구 추가하기' (Add New Phrase). Further down, there is a message: '이 폴더에 생성된 문구가 없습니다' (There are no phrases generated in this folder). At the bottom right of the page, there is a pagination indicator '1 중 1 페이지' (Page 1 of 1).

Phrase exclusions: 등록된 문구는 제외하고 유사도 산출

폴더 옵션 변경

내 문서 문서 공유하기 **환경** 1 중 1 페이지

<input type="checkbox"/>	제목	보고서	저자	처리 날짜 ↓	활동
<input type="checkbox"/>	Feedback Studio_Turnitin-KO.htm 1 부분 - 616 단어	7%	Jk Kim	2020. 3. 24. AM 10:23:22	
<input type="checkbox"/>	TFS_Form-KO.docx 1 부분 - 84 단어	0%	Jk Kim	2020. 3. 24. AM 10:22:41	
<input type="checkbox"/>	test - corona 1 부분 - 7,706 단어	34%	JK Kim	2020. 3. 2. PM 2:44:21	
<input type="checkbox"/>	test3 1 부분 - 34 단어	73%	jk kim	2020. 3. 2. PM 2:25:28	
<input type="checkbox"/>	test 1 부분 - 138 단어	30%	jk kim	2020. 3. 2. PM 2:19:26	

1 중 1 페이지

내 문서 문서 공유하기 **환경**

폴더 옵션 [보고서 필터](#) [제외 문구](#)

유사도 결과 도출 후 필터 적용도 가능

02-Sep-2013 04:37PM

2731 words • 0 matches • 23 sources

FAQ



샘플
BY 리승훈

Quotes Included
Bibliography Included

88%
SIMILAR

or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions. It takes a long time, and... local drug agents can have... neovascularization, various... factor (VEGF), transforming... derived growth factor (PD... Polydeoxyribonucleotide... agent. The drug agent... contains over 95% pure... peptides (Registration... deoxyribonucleotide poly... represents the source of... bases.⁸ PDRN activates the A_{2A}... release as well as fibroblast maturation in skin wounds.⁹ In prior studies, stimulation of the adenosine A_{2A} receptor leads to increasing VEGF products, fibroblast differentiation and maturation, and also accelerates granulation tissue formation rates and the wound repair process.^{10,11} The aim of this study was to investigate whether PDRN could improve the survival of random pattern skin flaps in rat.

Filters & Settings

* 제외를 원할 경우, 체크박스 표시 및 설정 사항 입력


- Exclude quotes** : 인용 정보 제외
- Exclude bibliography** : 참고문헌 제외
- Exclude Phrase** : 특정 문구 제외
- Exclude Small Matches** : 사소한 일치 제외
(ex. 5 단어 지정 시 : 5단어 연속 일치는 제외되어 결과 도출)
- Exclude Small Sources** : 사소한 출처 제외 유무
(ex. 3% 또는 6단어 지정 시 : 지정한 기준에 준하는 출처들이 제외되어 결과 도출)
- Exclude Sections** : 섹션(특정 부분)제외
→ 문서 본문에서 **Heading(제목)** 기입 시, 적용 가능
 - Abstracts : 초록 제외
 - Matches & Materials : 연구방법 또는 자료 및 재료 제외

Filters & Settings

FILTERS

- Exclude Quotes
- Exclude Bibliography
- Exclude sources that are less than:
 - words
 - %
 - Don't exclude by size
- Exclude matches that are less than:
 - words
 - Don't exclude
- Exclude Sections:
 - Abstract
 - Methods and Materials
 - Includes variations: Methods, Method, Materials, Materials and Methods

하단의 깔때기 아이콘 클릭 시 인용정보 및 참고문헌, 사소한 일치 제외하는 옵션 설정 후 재 유사성 검사 시행 가능



유사도 결과 도출 후 특정 출처 제외 옵션

Quotes Included 88%
Bibliography Included SIMILAR

Match Overview

- 1** CrossCheck 1875 words 68%
- 2** CrossCheck 2334 words 85%
- 3** CrossCheck 335 words 12%
- 4** CrossCheck 315 words 11%
- 5** CrossCheck 293 words 11%
- 6** Internet - 12 sources 278 words 10%
- 7** Internet - 11 sources 275 words 10%
- 8** CrossCheck 244 words 9%

중복출처 목록에서 특정 출처를 제외 하려면 출처 목록의 오른쪽 상단에 있는 '그래프 아이콘' 탭을 클릭

Quotes Included 88%
Bibliography Included SIMILAR

All Sources

Match 1 of 61

- CrossCheck 2334 words 85%
- CrossCheck 335 words 12%
Mariasaria Galeano. "Polydeoxyribonucleotide stimulates angiogenesis and wound healing in the geneticall ..."
- CrossCheck 315 words 11%
Domenica Altavilla. "Polydeoxyribonucleotide (PDRN): A Safe Approach to Induce Therapeutic Angiogenesis in P ..."
- CrossCheck 293 words 11%
Alessandra Bitto. "Polydeoxyribonucleotide improves a ... giogenesis and wound healing in experimental thermal ..."
- Internet - 12 sources 278 words 10%
crawled on 07-Jan-2006
woundsresearch.com
- Internet - 11 sources 275 words 10%
crawled on 01-Oct-2008
www.woundsresearch.com
- CrossCheck 244 words 9%
Altavilla, D. "Activation of adenosine A2A receptors rest ores the altered cell-cycle machinery during impaired ..."

Exclude (1)

Exclude Sources
→ 출처 목록의 왼쪽에 체크박스가 활성화 되면, 제외하고자 하는 출처 체크 후 Exclude 버튼 클릭

특정 출처 제외 기능 Undo

or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and can also be invasive. Previous research has shown that systemic and/or local drug agents can help overcome flap loss through inducing angiogenesis.^{1,2} To increase neovascularization, various angiogenic growth factors such as vascular endothelial cell growth factor (VEGF), transforming growth factor (TGF), fibroblast growth factor (FGF), and platelet-derived growth factor (PDGF) are all important.³⁻⁶

Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent. The drug agent can be obtained through a high temperature extraction process and contains over 95% pure active principle without additional pharmacologically active proteins and peptides (Registration Dossier, Italian Ministry of Health).⁷ This compound holds deoxyribonucleotide polymers with chain lengths ranging from 50 to 2,000 base pairs, and represents the source of purine and pyrimidine deoxynucleosides/deoxyribonucleotides and bases.⁸

PDRN activates the A_{2A} receptor subtype of adenosine receptors and then stimulates VEGF release as well as fibroblast maturation in skin wounds.⁹ In prior studies, stimulation of the adenosine A_{2A} receptor leads to increasing VEGF products, fibroblast differentiation and maturation, and also accelerates granulation tissue formation rates and the wound repair process.^{10,11}

The aim of this study was to investigate whether PDRN could improve the survival of random pattern skin flaps in rat.

Excluded Sources

Publications

Okuyama, Hiroshi; Yamaya, Hideki; Fukushima, Toshihiro and Yokoyama, Hitoshi. "A patient with persistent renal AL amyloid deposition ..."

제외된 출처들은 하단의 ∅ 아이콘 클릭 시 확인 가능하며 다시 포함 할 수 있음

Restore

Restore All

제출 파일 삭제/영구삭제 *iTh에서 검사한 파일은 어디에도 저장되지 않음

Search Trash Move selected to... Move

My Folders
한국연구재단

사회과학단 Documents Sharing Settings page 1 of 1


<input type="checkbox"/>	Title	Report	Author	Processed ↓	Actions
<input checked="" type="checkbox"/>	test 1 part - 66,781 words	20%	j. yoo	08/17/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	first draft 1 part - 8,744 words	15%	영. 유	05/02/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	정보사회 신인류의 등장과 통신 서비스 이용 형태의 변화 1 part - 8,919 words	45%	은. 권	03/29/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	사회통합을 위한 통신정책의 미래와 전망 1 part - 4,458 words	35%	남. 조	03/29/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	정보사회와 통신의 새로운 패러다임 1 part - 5,949 words	68%	권. 장	03/29/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	환경 및 생태계 유지를 위한 통신 정책적 대응 1 part - 3,585 words	49%	경. 권	03/29/11	<input type="checkbox"/> <input type="checkbox"/>
<input type="checkbox"/>	항산화 물질에 대한 화학적, 생화학적 연구 1 part - 1,321 words	80%	영. 유	03/29/11	<input type="checkbox"/> <input type="checkbox"/>

page 1 of 1

Trash

View type: Document viewer vs. Text-only

02-Sep-2013 04:37PM 2731 words • 55 matches • 23 sources FAQ

 샘플
BY 필드출

Quotes Included
Bibliography Included **88%**
SIMILAR

defects. Among the local skin flap procedures, random pattern skin flaps are a reliable and convenient procedure. However, after random pattern skin flap surgery, distal flap necrosis (partial or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and can also be invasive. Previous research has shown that systemic and/or local drug agents can help overcome flap loss through inducing angiogenesis.^{1,2} To increase neovascularization, various angiogenic growth factors such as vascular endothelial cell growth factor (VEGF), transforming growth factor (TGF), fibroblast growth factor (FGF), and platelet-derived growth factor (PDGF) are all important.³⁻⁶

Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent. The drug agent can be obtained through a high temperature extraction process and contains over 95% pure active principle without additional pharmacologically active proteins and peptides (Registration Dossier, Italian Ministry of Health).⁷ This compound holds deoxyribonucleotide polymers with chain lengths ranging from 50 to 2,000 base pairs, and represents the source of purine and pyrimidine deoxynucleosides/deoxyribonucleotides and bases.⁸

PDRN activates the A_{2A} receptor subtype of adenosine receptors and then stimulates VEGF release as well as fibroblast maturation in skin wounds.⁹ In prior studies, stimulation of the adenosine A_{2A} receptor leads to increasing VEGF products, fibroblast differentiation and maturation, and also accelerates granulation tissue formation rates and the wound repair process.^{10,11}

The aim of this study was to investigate whether PDRN could improve the survival of random

Match Overview

Rank	Match	Words	Similarity
1	CrossCheck	1875 words	88%
2	CrossCheck	52 words	2%
	Joseph Leibovich, Samuel. "Regulation of Macrophage-Dependent Angiogenesis by Adenosine and Toll-Like ..."		
3	CrossCheck	39 words	1%
	Steven R. Beanes. "Skin repair and scar formation: the ... entral role of TGF-[beta]", Expert Reviews in Molecular M		
4	CrossCheck	35 words	1%
	Roberto Vanelli. "Efficacy of intra-articular polynucleotide s in the treatment of knee osteoarthritis: a randomized ..."		
5	CrossCheck	35 words	1%
	Guizzardi, S. "Effects of heat deproteinate bone and pe ... nucleotides on bone regeneration: An experimental stud		
6	CrossCheck	34 words	1%
	E. Raposio. "In vitro polydeoxyribonucleotide effects on h uman pre-adipocytes", Cell Proliferation, 10/2008		
7	CrossCheck	32 words	1%
	He, D.. "Nuclear Accumulation of Exogenous DNA Frag ments in Viable Cells Mediated by FGF-2 and DNA Rel ..."		

PAGE: 1 OF 9

Text-Only Report

Text-only view

폴더 내
다른 Report 보기

Folder: 사회과학단

폴더로 돌아가기

Jump to: 항산화 물질에 대한 화학적, 생화학적 연구 - 80%

Similarity Index

88%

iThenticate®
Professional Plagiarism Prevention

샘플
By: 김동홍

As of: July 22, 2015 11:19:23 AM KST
3,161 words - 18 matches - 13 sources

Document Viewer

보기 전환

Mode: Similarity Report

Exclude Quotes Exclude Bibliography Exclude small matches



The Effects of Polydeoxyribonucleotide on the Survival of Random Pattern Skin Flaps in Rats

Introduction Local skin flap procedures are often used in plastic and reconstructive surgery to repair tissue defects. Among the local skin flap procedures, random pattern skin flaps are a reliable and convenient procedure. However, after random pattern skin flap surgery, distal flap necrosis (partial or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and can also be invasive. Previous research has shown that systemic and/or local drug agents can help overcome flap loss

through inducing angiogenesis.^{1,2} To increase neovascularization, various angiogenic growth factors such as vascular endothelial cell growth factor (VEGF), transforming growth factor (TGF), fibroblast growth factor (FGF), and platelet-derived growth factor (PDGF) are all important.³⁻⁶ Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent.

The drug agent can be obtained through a high temperature extraction process and

- 247 words / 19% - Internet from Aug 18, 2010
www.chosun.net
- 225 words / 17% - Internet from Apr 5, 2010
ko.wikipedia.org
- 193 words / 15% - Internet from Apr 5, 2010
www.hanheart.co.kr
- 127 words / 10% - Internet from Apr 5, 2010
kr.blog.yahoo.com
- 111 words / 8% - Internet from Jul 8, 2010
ko.wikipedia.org
- 101 words / 8% - Internet from Aug 24, 2010
www.cancer.go.kr
- 32 words / 2% - Internet from Aug 25, 2010
kr.blog.yahoo.com
- 25 words / 2% - Internet from Mar 21, 2010
ko.medicine.wikia.com

- 인용, 참고 문헌 등을 제외
- 문서 출력, HTML 파일 저장

Text-only view 상의 특정 출처

The Effects of Polydeoxyribonucleotide on the Survival of Random Pattern Skin Flaps in Rats

Introduction Local skin flap procedures are often used in plastic and reconstructive surgery to repair tissue defects. Among the local skin flap procedures, random pattern skin flaps are a reliable and convenient procedure. However, after random pattern skin flap surgery, distal flap necrosis (partial or complete) is a common problem. There are many trials investigating ways to reduce distal flap necrosis. The delayed procedure was very useful, but requires additional surgical interventions, takes a long time, and can also be invasive. Previous research has shown that systemic and/or local drug agents can help overcome flap loss

through inducing angiogenesis.1,2 To increase neovascularization, various angiogenic growth factors such as vascular endothelial cell growth factor (VEGF), transforming growth factor (TGF), fibroblast growth factor (FGF), and platelet-derived growth factor (PDGF) are all important.3-6 Polydeoxyribonucleotide (PDRN), extracted from trout sperm, is known to be a tissue repair agent.

The drug agent can be obtained through a high temperature extraction process and

- 1 1,425 단어 / 52% - CrossCheck
[Chung, Kun Il, Han Koo Kim, Woo Seob Kim, and Tae Hui Bae. "The Effects of Polydeoxyribonucleotide on the Survival of Random Pattern Skin Flaps in Rats". Archives of Plastic Surgery. 2013.](#) ✕
- 2 225 words / 17% - Internet from Apr 5, 2010
[ko.wikipedia.org](#) ✕

X 클릭, 해당 출처 제외
- 3 193 words / 15% - Internet from Apr 5, 2010
[www.hanheart.co.kr](#) ✕
- 4 106 단어 / 2% - 인터넷 2014년 04월 23일 오전 12:00
[eesk-j.or.kr](#) ✕

각각의 색상 및 번호로 표시된 부분을 클릭하면 화면 오른쪽에 해당 부분과 유사도 검사가 된 출처들을 확인
- 5 74 단어 / 2% - 인터넷 2014년 04월 23일 오전 12:00
[earthquake.hanyang.ac.kr](#) ✕
- 6 37 단어 / 1% - CrossCheck
[Jin Ho Lee. "Implementation of a second-order paraxial boundary condition for a water-saturated layered half-space in plane strain". Earthquake Engineering & Structural Dynamics. 04/25/2011](#) ✕
- 7 37 단어 / 1% - CrossCheck
[Zhao, Yongsheng, Jianmin Yang, and Yanping He. "Preliminary Design of a Multi-Column TLP Foundation for a 5-MW Offshore Wind Turbine". Energies. 2012.](#) ✕
- 8 35 단어 / 1% - CrossCheck
[Rebecca Barthelmie. "Offshore support structure optimization by means of integrated design and controls: Integration of support structure and turbine design". Wind Energy. 01/2012](#) ✕

자주 묻는 질문들

- 계정등록을 신청하지 않고 개인적으로 가입하였는데 이용이 안됩니다

iThenticate는 기관용 구독 솔루션으로서, 기관 담당자가 등록 후 사용하셔야 합니다. 만약 개인 등록을 한 경우, 담당자에게 이메일로 신청한 후 등록과 함께 받으시는 **No reply** 메일상의 내용에 따라 비밀번호를 재설정하시면 됩니다. 이 때 비밀번호는 처음 개인 계정으로 사용하셨던 것과 다른 것으로 설정해주세요. 그러면 일정 기간이 지나면 개인 계정은 비활성화되게 됩니다.

- 제가 올린 논문이나 과제가 영구히 남아있나요? 어느 범위의 사람까지 볼 수 있나요?

iThenticate에 검사한 페이퍼는 전혀 저장되지 않습니다. 본인 계정으로 로그인하셨을 때만 보실 수 있습니다.

- 몇 퍼센트 이하로 유사도를 맞춰야 하나요?

유사도 %에 대한 절대적인 기준은 없습니다. 유사도 %가 높으면 표절인지 의심 할 수 있으나, 반대로 유사도%가 낮더라도 타인의 저작물을 인용과 출처 없이 도용했다면 표절로 간주 될 수 있습니다. 보통 저널에서는 **15-20%** 정도를 권장 유사도로 정하나, 정확한 것은 제출처에 문의하는 것이 가장 정확할 것으로 보입니다. 또한, 유사도가 권장 **range** 안에 들어오더라도 본문에 표절 관련 문제가 될 만한 부분은 남아있지 않은지 재 확인하여 수정하는 것을 권장 드립니다.

Thank you

턴잇인코리아
koreasales@turnitin.com
02-6465-0280